
















The Spirit of Innovation

COLOP[®]
MARKING SOLUTIONS



www.colop.com

	Printer Line Standard, Printer Compact Line 6-7
	Printer Line Rectangular, Oblong, Triangular, Square, Round, Oval 8-12
	Printer Line Dater Rectangular, Square, Triangular, Oval, Round 13-16
	Printer S 200, Printer Mini Line 17-19
	Stock Text Stamps, Printer Line Accessory 20
	Expert Line 22-25
	Classic Line 26-29
	Office Line 30
	Pocket Stamp, Pocket Stamp Plus 32-33
	Stamp Mouse 34
	Stamp Writer, Pen Stamp Alu Magnet Touch 35
	D-I-Y Sets 37-40
	Green Line 42-44
	Microban® Stamps 46-47
	Spare Pads 49-50
	Band Stamps, Special Character Bands 52-54
	Die-Plate-Daters 55-56
	Numrex, Swing Stamps 57
	Stamp Pads, Stamp Inks 59-60
	Embossing Presses 62
	Materials for Textplate Production 63

About us

The Spirit of Innovation



Global Player. COLOP is one of the world's leading manufacturers of modern stamps, with over 500 employees worldwide, 120 regular export markets and an export rate of more than 98%. Continuous growth is firmly rooted in COLOP's corporate philosophy, which ensures that the globally increasing demand for high-quality European stamp products can continue to be met in future – it was for this reason that a major expansion of the production capacity at the parent plant in Wels, Austria, and also at the company's second production site in the Czech Republic, have been carried out in the last few years.



Innovation & Design. Since it was founded around 35 years ago, COLOP has been committed to product innovation in the field of state-of-the-art marking devices, particularly stamps. In 2008, for instance, the company introduced 'Green Stamps' into the stamp world. These stamps are made predominantly from recycled or renewable raw materials. Stamps with antibacterial protection are another of the company's significant innovations. Last but not least with the Printer the personalisation of stamps has become a trend.



Marking Solutions. The range of products comprises a large selection of stamp solutions for different applications, including office and pocket stamps, text and date stamps, rectangular and round stamps. COLOP also supplies all the products and systems necessary to ensure a high-quality stamp imprint. The range of services offered by COLOP is rounded off by e-business solutions for the creation of text plates and the sale of stamp products online, as well as software tools for the personalisation of ImageCards™.



Quality & environmental management. COLOP's environmental management system has been ISO 14001 certified for many years, which ensures that all processes have been optimised from an ecological perspective. The company has however also had the conviction to make a voluntary, above-average contribution to environmental issues, going above and beyond the strict EU and national regulations. COLOP has been ISO 9001 certified since 2001. This certification forms the basis for a continual improvement process as part of the company's excellent internal quality management system.



High tech production. A modern and efficient production process is of great importance to COLOP, paying special attention to the energy resources required. Fully automated production and manufacturing of key product lines, ongoing modernisation and upgrading of machinery and constant process optimisations all ensure high quality products and an energy-efficient manufacturing process.



Printer Line

The comprehensive range of self-inking stamps


The Printer Line offers a complete choice of sizes from small and handy up to large and generous - the largest range of formats from round to oval and even a triangle.




Produced in high quality materials for reliable, regular and comfortable use




Offers a wide range of text-, dater- and text-dater-stamps and even stamps equipped with stock text



Almost all common sizes are available from very small up to X-large imprints



Available in all kinds of formats from rectangular to triangular as well as from round to oval and more. For eye-catching and outstanding imprints



Bands with individual characters available for various models



The COLOP Printer

Unique as you

Numerous innovations and fascinating technical details guarantee easier and more precise stamping.

Innovative frame concept (patent pending)

- precise guidance
- high quality performance
- smooth movement
- gentle sound

Extra fast assembly

- stand up functionality
- detached protection foil
- grid for quick positioning (patent pending)
- TOP identification

Anti sliding technology

Up to 10 % less volume



Easy to detach image window
Improved and backward compatible ink pads

- direct insert pad
- catch feature
- new protection bar (patent pending)

Transparent base
for perfect imprint alignment




Cover
for protection and mobile use



Unique stock keeping optimisation

- new concept: 2 articles → 8 variations and 6 ink colours = **12 SKU's**
- instead of: 8 articles → 8 variations and 6 ink colours = **48 SKU's**



Unlimited personalisation

For your individual stamp

XXL image window for first class personalisation (patent pending)

Extended “private label” area keeps rubber stampmaker in customers’ mind

Marketing opportunity brings dealer brand to the end user

Business customisation presents professional’s corporate design

Personalisation for private end users makes the stamp unique



ImageCard™ Sheets

COLOP provides perforated ImageCard Sheets.

After printing the ImageCards can easily be popped out and inserted into the stamp.



ImageCard Designer
sophisticated online
personalisation software:



6 | PRINTER LINE Standard



Kenneth Clark
Unit 90A, Valepits Road, Barretts Grove
Birmingham B66 9TD

10 x 27 mm

Printer 10

size of imprint	10 x 27 mm
colour of frame	
recommended number of lines	3
packaging	
spare pad	E/10
optional: cover	
optional: Microban® keyring	

**MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

Printer 20

size of imprint	14 x 38 mm
colour of frame	
recommended number of lines	4
packaging	
spare pad	E/20
optional: cover	
optional: Green Line Microban®	

**GORDON WALKER**

5 Moore Road, Aberdeen AB13 6BE
Tel: 1234 80 63 62
mobile: 0555 456 890
e-mail: gordon@walker.co.uk

18 x 47 mm

Printer 30

size of imprint	18 x 47 mm
colour of frame	
recommended number of lines	5
packaging	
spare pad	E/30
optional: cover	
optional: Green Line Microban®	

**RED SKIES LTD**

Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies_ltd.co.uk

23 x 59 mm

Printer 40

size of imprint	23 x 59 mm
colour of frame	
recommended number of lines	6
packaging	
spare pad	E/40
optional: cover	
optional: Green Line Microban®	

**LANCASTER GARDEN PRODUCTS**

Gardening - Equipment and Supplies
Stockton Lane • York YO65 5UE
Tel: 1555 40 01 41
Fax: 1555 40 01 85
e-mail: lancaster@garden.co.uk
e-mail: garden@equip_supplies.co.uk

30 x 69 mm

Printer 50

size of imprint	30 x 69 mm
colour of frame	
recommended number of lines	7
packaging	
spare pad	E/50
optional: Green Line Microban®	

**BRITISH CARGO OVERSEAS
INTERNATIONAL TRANSPORT LTD**

North London Freight Centre
York Way, Kings Cross, London N3 8BB
Tel: 0123 456 7890
Fax: 0123 456 7891
sales@britishcargooverseas.co.uk
www.britishcargooverseas.com

37 x 76 mm

Printer 60















size of imprint	37 x 76 mm
colour of frame	
recommended number of lines	8
packaging	
spare pad	E/60
optional: Microban®	



Kenneth Clark
Unit 90A, Valepits Road, Barretts Grove
Birmingham B66 9TD

10 x 27 mm

Printer C 10

size of imprint	10 x 27 mm
colour of handle	    
recommended number of lines	3
packaging	   
spare pad	 E/10
optional: cover	   











MARY COOPER

28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

Printer C 20

size of imprint	14 x 38 mm
colour of handle	    
recommended number of lines	4
packaging	   
spare pad	 E/20
optional: cover	   

















GORDON WALKER

5 Moore Road, Aberdeen AB13 6BE
Tel: 1234 80 63 62
mobile: 0555 456 890
e-mail: gordon@walker.co.uk

18 x 47 mm

Printer C 30

size of imprint	18 x 47 mm
colour of handle	    
recommended number of lines	5
packaging	   
spare pad	 E/30
optional: cover	   

















RED SKIES LTD

Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies_ltd.co.uk

23 x 59 mm

Printer C 40

size of imprint	23 x 59 mm
colour of handle	    
recommended number of lines	6
packaging	   
spare pad	 E/40
optional: cover	   













LANCASTER GARDEN PRODUCTS

Gardening - Equipment and Supplies
Stockton Lane • York YO65 5UE
Tel: 1555 40 01 41
Fax: 1555 40 01 85
e-mail: lancaster@garden.co.uk
e-mail: garden@equip_supplies.co.uk

30 x 69 mm

Printer C 50

size of imprint	30 x 69 mm
colour of handle	    
recommended number of lines	7
packaging	   
spare pad	 E/50



BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre
York Way, Kings Cross, London N3 8BB
Tel: 0123 456 7890
Fax: 0123 456 7891
sales@britishcargooverseas.co.uk
www.britishcargooverseas.com

37 x 76 mm

Printer C 60

size of imprint	37 x 76 mm
colour of handle	    
recommended number of lines	8
packaging	   
spare pad	 E/60

8 | PRINTER LINE Rectangular



Henry Fauntleroy *Antiques*

398 Wayward Rd
Leighton Buzzard LU8 1UA
Tel: 01555 688777

20 x 30 mm

Printer 52

size of imprint	20 x 30 mm
colour of handle	     
recommended number of lines	5
packaging	   
spare pad	 E/52




**Australian National
Flag Association**
365 KENT STREET
SYDNEY 2000 AUSTRALIA
Ph. (02) 223 45 78 Fax: (02) 223 67 35

24 x 45 mm

Printer S 200

size of imprint	24 x 45 mm
colour of handle	     
recommended number of lines	6
packaging	   
spare pad	 E/200













The KENMORE Bar & Restaurant

The Square
Aberfeldy PH15 2HH
Tel :+44 1887 830205
Fax :+44 1887 830262
the-kenmore@restaurant.co.uk

30 x 45 mm

Printer 53

size of imprint	30 x 45 mm
colour of handle	     
recommended number of lines	7
packaging	   
spare pad	 E/53














★★★★★ HOTEL ★★★★★ GRAND EDINBURGH

45-48 George Street
Edinburgh EH1 1PA
Tel: +44 123 221459
Fax: +44 123 221460
e-mail: grand@edinburgh-hotel.co.uk

30 x 50 mm

Printer 35

size of imprint	30 x 50 mm
colour of handle	     
recommended number of lines	7
packaging	   
spare pad	 E/35











PAY TO THE ORDER OF:

**Dr. Peter Jones
Medical Practice**

157 South Liberty Lane
Bristol BS3 2TL
Tel: 01234 555671
Fax: 01234 555672

33 x 56 mm

Printer 38

size of imprint	33 x 56 mm
colour of handle	     
recommended number of lines	7
packaging	   
spare pad	 E/38














AFRICAN PALM TREE Country Club



Tree Cain Rd
Bracknell LE11 1EP
Tel: 01234 611613
Tel: 01234 611614
Fax - 15
Fax - 16

40 x 50 mm

Printer 54

size of imprint	40 x 50 mm
colour of handle	     
recommended number of lines	8
packaging	   
spare pad	 E/54



Casa Jimeno **IMPORT EXPORT**
The Pipe Specialist
 The **PIPE GROUP LTD**
 34-36 Huntington Rd
 London SW2 9RS
 Tel: 01754 811499 • Fax: 01754 811401
 e-mail: the-pipe-specialist@united-kingdom.com

40 x 60 mm

Printer 55	
size of imprint	40 x 60 mm
colour of handle	
recommended number of lines	8
packaging	
spare pad	E/55



INSPECTED
 David Cooper
 6 x 15 mm

6 x 15 mm

Printer 05	
size of imprint	6 x 15 mm
colour of handle	
recommended number of lines	2
packaging	
spare pad	E/05



Oswald B. Coplepot
 - EX LIBRIS -

10 x 69 mm

Printer 15	
size of imprint	10 x 69 mm
colour of handle	
recommended number of lines	3
packaging	
spare pad	E/15



Clifton Howard Kerrymore
 Widow Peek Hotel Side Street
 Newcastle Upon Tyne NE25 9JG
 Tel: 01234 707033 - Fax: 01234 707034

15 x 75 mm

Printer 25	
size of imprint	15 x 75 mm
colour of handle	
recommended number of lines	4
packaging	
spare pad	E/25



The Golden Dragon Restaurant
The Dragon Hotel Wellmeadow
 Blairgowrie PH5 14NH
 Tel: 01234 872455 - Fax: 01234 875615
 e-mail: the-golden-dragon-restaurant@the-hotel.co.uk
 e-mail: the-golden-dragon-hotel@the-hotel.co.uk

25 x 82 mm

Printer 45	
size of imprint	25 x 82 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/45



A
TEAM
 Advertising Agency
 • Tampa, Florida 94836 •

45 x 45 x 45 mm

Printer T 45	
size of imprint	45 x 45 x 45 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/T 45

10 | PRINTER LINE Square



12 x 12 mm

Printer Q 12


size of imprint	12 x 12 mm
colour of handle	
recommended number of lines	3
packaging	
spare pad	E/Q 12
optional: keyring	



17 x 17 mm

Printer Q 17

size of imprint	17 x 17 mm
colour of handle	
recommended number of lines	4
packaging	
spare pad	E/Q 17



20 x 20 mm

Printer Q 20

size of imprint	20 x 20 mm
colour of handle	
recommended number of lines	5
packaging	
spare pad	E/Q 20



24 x 24 mm

Printer Q 24

size of imprint	24 x 24 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/Q 24



31 x 31 mm

Printer Q 30

size of imprint	31 x 31 mm
colour of handle	
recommended number of lines	7
packaging	
spare pad	E/Q 30



Route To:

- Training Director
- Personnel Director
- Office Manager
- Sales Manager

43 x 43 mm













Printer Q 43

size of imprint	43 x 43 mm
colour of handle	
recommended number of lines	10
packaging	
spare pad	E/Q 43

Round **PRINTER LINE** | 11

Ø 12 mm













Printer R 12

size of imprint	Ø 12 mm
colour of handle	    
recommended number of lines	2
packaging	   
spare pad	 E/R 12
optional: keyring	 + 



Ø 17 mm











Printer R 17

size of imprint	Ø 17 mm
colour of handle	    
recommended number of lines	3
packaging	   
spare pad	 E/R 17
optional: keyring	 + 



Ø 24 mm












Printer R 24

size of imprint	Ø 24 mm
colour of handle	    
recommended number of lines	4
packaging	   
spare pad	 E/R 24



Ø 30 mm












Printer R 30

size of imprint	Ø 30 mm
colour of handle	    
recommended number of lines	5
packaging	   
spare pad	 E/R 30
optional: spare pad (2-colour)	 E/R 30/2



Ø 40 mm

Printer R 40

size of imprint	Ø 40 mm
colour of handle	    
recommended number of lines	7
packaging	   
spare pad	 E/R 40
optional: spare pad (2-colour)	 E/R 40/2

12 | PRINTER LINE Round | Oval



Ø 45 mm

Printer R 45

size of imprint	Ø 45 mm
colour of handle	
recommended number of lines	9
packaging	
spare pad	E/R 45



Ø 50 mm

Printer R 50

size of imprint	Ø 50 mm
colour of handle	
recommended number of lines	9
packaging	
spare pad	E/R 50
optional: spare pad (2-colour)	E/R 50/2



28 x 44 mm

Printer Oval 44

size of imprint	28 x 44 mm
colour of handle	
recommended number of lines	5
packaging	
spare pad	E/Oval 44



35 x 55 mm

Printer Oval 55

size of imprint	35 x 55 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/Oval 55



20 x 30 mm

Printer 52-Dater	
size of imprint	20 x 30 mm
colour of handle	
height of date	3 mm
recommended number of lines	3 *
packaging	
spare pad	E/52



24 x 45 mm

Printer S 260	
size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	



30 x 45 mm

Printer 53-Dater	
size of imprint	30 x 45 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/53
optional: spare pad (2-colour)	E/53/2



30 x 50 mm

Printer 35-Dater	
size of imprint	30 x 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/35
optional: spare pad (2-colour)	E/35/2



33 x 56 mm

Printer 38-Dater	
size of imprint	33 x 56 mm
colour of handle	
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/38
optional: spare pad (2-colour)	E/38/2

* includes one line for the date

14 | PRINTER LINE DATER Rectangular



40 x 50 mm

Printer 54-Dater	
size of imprint	40 x 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/54
optional: spare pad (2-colour)	E/54/2



40 x 60 mm

Printer 55-Dater	
size of imprint	40 x 60 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/55
optional: spare pad (2-colour)	E/55/2



37 x 76 mm


Printer 60-Dater M	
size of imprint	37 x 76 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/60

Printer 60 DD Printer 60 L Printer 60 R



37 x 76 mm

Printer 60-Dater Double Date	
Printer 60-Dater L/R	
size of imprint	37 x 76 mm
colour of handle	
height of date	3 mm
recommended number of lines	7 *
packaging	
spare pad	E/60



76 x 37 mm

Printer 60-Dater H	
size of imprint	76 x 37 mm
colour of handle	
height of date	3 mm
recommended number of lines	16 *
packaging	
spare pad	E/60


* includes one line for the date



24 x 24 mm

Printer Q 24-Dater

size of imprint	24 x 24 mm
colour of handle	
height of date	2 mm
recommended number of lines	5 *
packaging	
spare pad	E/Q 24



31 x 31 mm

Printer Q 30-Dater

size of imprint	31 x 31 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/Q 30
optional: spare pad (2-colour)	E/Q 30/2



43 x 43 mm

Printer Q 43-Dater

size of imprint	43 x 43 mm
colour of handle	
height of date	3 mm
recommended number of lines	9 *
packaging	
spare pad	E/Q 43
optional: spare pad (2-colour)	E/Q 43/2



45 x 45 x 45 mm

Printer T 45-Dater

size of imprint	45 x 45 x 45 mm
colour of handle	
height of date	2 mm
recommended number of lines	5 *
packaging	
spare pad	E/T 45



35 x 55 mm

Printer Oval 55-Dater

size of imprint	35 x 55 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/Oval 55

16 | PRINTER LINE DATER Round



Ø 24 mm

Printer R 24-Dater

size of imprint	Ø 24 mm
colour of handle	
height of date	2 mm
recommended number of lines	2 *
packaging	
spare pad	E/R 24




Ø 30 mm

Printer R 30-Dater

size of imprint	Ø 30 mm
colour of handle	
height of date	3 mm
recommended number of lines	4 *
packaging	
spare pad	E/R 30
optional: spare pad (2-colour)	E/R 30 DATER/2



Ø 40 mm



R 40 Dater
"24-Hours"

R 40 Dater
"12-Hours"

Printer R 40-Dater

size of imprint	Ø 40 mm
colour of handle	
height of date	3 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 40
optional: spare pad (2-colour)	E/R 40/1 DATER/2



Ø 45 mm

Printer R 45-Dater

size of imprint	Ø 45 mm
colour of handle	
height of date	3 mm
recommended number of lines	8 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45 DATER/2



Ø 50 mm

Printer R 50-Dater

size of imprint	Ø 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	8 *
packaging	
spare pad	E/R 50
optional: spare pad (2-colour)	E/R 50 DATER/2

* includes one line for the date



12 NOV 2025



1 2 3 4 5 6

Printer S 220/S 226

colour of handle	
height of date / numbers	4 mm
packaging	
spare pad	E/200
optional: Green Line S 226 special characters	



ORIGINAL

AIR MAIL D R A F T
 APPROVED FILE COPY
 CANCELLED FIRST CLASS
 CONFIDENTIAL ORIGINAL
 CONFIRMATION S H R E D
 C O P Y U R G E N T !

Printer S 220/W

colour of handle	
height of phrase band	4 mm
packaging	
spare pad	E/200
optional: Green Line	



RECEIVED
 12 NOV 2025
 BY: _____

24 x 45 mm

L1

PAID
 12 NOV 2025
 BY: _____

L2

FAXED
 12 NOV 2025
 BY: _____

L3

Printer S 260/L

size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	



Australian National Flag Association
 365 KENT STREET
 SYDNEY 2000 AUSTRALIA
 Ph. (02) 223 45 78 Fax: (02) 223 67 35

24 x 45 mm

Printer S 200

size of imprint	24 x 45 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/200



PRODUCTION No.
 1 2 3 4 5 6

24 x 45 mm

Printer S 226/P

size of imprint	24 x 45 mm
colour of handle	
height of numbers	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: special characters	



SHIPPED
 12 NOV 2025
 BY: _____

24 x 45 mm

Printer S 260

size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	

18 | PRINTER LINE Printer Mini Line



12 NOV 2025



12. 11. 25

Mini-Dater S 120 / S 120 SD

height of date	4 mm
packaging S 120	
packaging S 120 SD	
spare pad	E/10



APPROVED

AIR MAIL CHECKED
 APPROVED FILE COPY
 CANCELLED FIRST CLASS
 CONFIDENTIAL C R E D I T
 CONFIRMATION O V E R D U E
 C O P Y U R G E N T !

Mini-Info S 120/W

height of phrase band	4 mm
packaging	
spare pad	E/10



1 2 3 4 5 6

Mini-Folio S 126

height of numbers	4 mm
packaging	
spare pad	E/10



12 NOV 2025 - 21 NOV 2025

Mini-Dater S 120/DD

height of date	4 mm
packaging	
spare pad	E/12



1 2 3 4 5 6 7 8 9 0 1 2 3

Mini-Folio S 120/13

height of numbers	4 mm
packaging	
spare pad	E/12



URGENT 12 NOV 2025

APPROVED DELIVERED
 U R G E N T C R E D I T
 E - M A I L E D F A X E D
 CANCELLED P A I D
 C H A R G E D R E C E I V E D
 C H E C K E D S H I P P E D

Mini-Info-Dater S 120/WD

height of date / phrase band	4 mm
packaging	
spare pad	E/12
optional: spare pad (2-colour)	E/12/2



RECEIVED S160/L1
12 NOV 2025

PAID S160/L2
12 NOV 2025

FAXED S160/L3
12 NOV 2025

e-m@iled S160/L4
12 NOV 2025

SCANNED S160/L6
12 NOV 2025

Mini-Dater S 160/L	
height of date	4 mm
packaging	
spare pad	E/10
optional: spare pad (2-colour)	E/10/2



CHECKED BY
GEORGE BARET 12 NOV 2025
10 x 25 mm

Mini-Dater S 120/P	
size of imprint	10 x 25 mm
height of date	4 mm
recommended number of lines	2
packaging	
spare pad	E/12
optional: spare pad (2-colour)	E/12/2



5 x 25 mm
GEORGE BARET
EXPORT DEPARTMENT
12 NOV 2025

Mini-Dater S 160	
size of imprint	5 x 25 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/10
optional: spare pad (2-colour)	E/10/2



3,5 x 49 mm
Please note our annual holiday:
12 NOV 2025 - 21 NOV 2025

Mini-Dater S 160/DD	
size of imprint	3,5 x 49 mm
height of date	4 mm
recommended number of lines	2 *
packaging	
spare pad	E/12



8 x 52 mm
.....
Henry Wellington - Managing Director

Mini-Print S 110	
size of imprint	8 x 52 mm
recommended number of lines	2
packaging	
spare pad	E/12

* includes one line for the date

20 | PRINTER LINE Stock Text Stamps



A/C PAYEE ONLY AIRMAIL
RECEIVED IMPORTANT APPROVED
DRAFT REGISTERED **CONFIDENTIAL** NOT NEGOTIABLE
E-MAIL REMINDER CONFIRMATION ORIGINAL
ENTERED URGENT CHECKED **PAID**
FAXED 1st CLASS **COPY** **POSTED**



Printer 20/L	
size of imprint	14 x 38 mm
colours	
packaging	
spare pad	E/20

14 x 38 mm



PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC
 PROTECTED PROTECTED PROTECTED PROTEC



Printer 30 Incognito	
size of imprint	18 x 47 mm
colours	
packaging	
spare pad	E/30


18 x 47 mm



Motivational / [AR] Stamps	
size of imprint	Ø 22 mm
colour of handle	
packaging	

Imprint designs with „Augmented Reality“ feature

[AR]
STAMP



Ø 22 mm



Heavy Duty

Extremely reliable marking devices

Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.



Expert Line: Metal equals stability and durability - minimum 80% pure steel




Image window shows imprint and even offers space for further personalisation



Band cover for clean handling






Easy to change ink pads



Bands with individual characters available for various models






24 x 41 mm

3160	
size of imprint	24 x 41 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	 E/2100
optional: spare pad (2-colour)	 E/2100/2






30 x 45 mm

3360	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	 E/2300
optional: spare pad (2-colour)	 E/2300/2






37 x 58 mm

3660	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	 E/2600
optional: spare pad (2-colour)	 E/2600/2



49 x 68 mm

3860	
size of imprint	49 x 68 mm
height of date	4 mm
recommended number of lines	9 *
packaging	
spare pad	 E/2800
optional: spare pad (2-colour)	 E/2800/2

* includes one line for the date

**JANET WEBBERLEY**

WINIFRED HOUSE
CORNELLS LANE
WIDDINGTON
ESSEX CB11 3SP
TEL: 01799 540846

24 x 41 mm

3100

size of imprint	24 x 41 mm
recommended number of lines	6
packaging	
spare pad	E/2100



SOLD BY
**PAUL'S
PLUMBING SHOP**
418 HILLSIDE AVENUE
TAMPA, FLORIDA 94836
PHONE: 348-9762

30 x 45 mm

3300

size of imprint	30 x 45 mm
recommended number of lines	7
packaging	
spare pad	E/2300



 **REDWOOD**
Garden Centre
Unit 15 Bristol Rd
Edgewater TA8 9AW
tel: 01234 - 497128
fax 01234 - 497129

27 x 58 mm

3400

size of imprint	27 x 58 mm
recommended number of lines	6
packaging	
spare pad	E/3400



 **AUSTRALIAN
NATIONAL FLAG
ASSOCIATION**

365 KENT STREET
SYDNEY 2000 AUSTRALIA
Ph. (02) 223 45 78 Fax: (02) 223 67 35

37 x 58 mm

3600

size of imprint	37 x 58 mm
recommended number of lines	8
packaging	
spare pad	E/2600

**BRITISH CARGO OVERSEAS
INTERNATIONAL TRANSPORT LTD**

North London Freight Centre
York Way, Kings Cross, London N3 8BB
Tel: 0123 456 7890 Fax: 0123 456 7891
www.britishcargooverseas.com
sales@britishcargooverseas.co.uk

34 x 79 mm

3700

size of imprint	34 x 79 mm
recommended number of lines	7
packaging	
spare pad	E/3700



Ø 40 mm

R 3040-Dater	
size of imprint	Ø 40 mm
height of date	4 mm
recommended number of lines	7
packaging	
spare pad	E/R 2040
optional: spare pad (2-colour)	E/R 2040/2



Ø 40 mm

R 3040	
size of imprint	Ø 40 mm
recommended number of lines	7
packaging	
spare pad	E/R 2040
optional: spare pad (2-colour)	E/R 2040/2



ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT

REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING:

Initials & Date	Dept.
Initials & Date	Dept.
Initials & Date	Dept.

49 x 68 mm

3800	
size of imprint	49 x 68 mm
recommended number of lines	10
packaging	
spare pad	E/2800



British Cargo Overseas International Transport LTD

Office Department: Jack-Nick Olsen

North London Freight Centre
 York Way, Kings Cross, London N3 8BB
 Tel: 0207 659 2132-15, Fax: 0207 659 2132 -781
 E-Mail: office@britishcargooverseas.co.uk
 Homepage: www.britishcargooverseas.com

Signature & Order Number:

55 x 106 mm

3900	
size of imprint	55 x 106 mm
recommended number of lines	12
packaging	
spare pad	E/3900

* includes one line for the date



55 x 106 mm

3960	
size of imprint	55 x 106 mm
height of date	4 mm
recommended number of lines	11 *
packaging	
spare pad	E/3900
optional: spare pad (2-colour)	E/3900/2



55 x 106 mm

3960 S3 / S4	
size of imprint	55 x 106 mm
height of date	4 mm
recommended number of lines	11 *
packaging	
spare pad	E/3900



55 x 106 mm

3960 Double Date	
size of imprint	55 x 106 mm
height of date	4 mm
recommended number of lines	11 *
packaging	
spare pad	E/3900




24 x 41 mm

2160	
size of imprint	24 x 41 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2



30 x 45 mm

2360	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2
optional: Green Line Microban®	



27 x 58 mm

2460	
size of imprint	27 x 58 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



37 x 58 mm

- 2660/S3
- 2660
- 2660/S4

2660	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2
optional: Green Line Microban®	



49 x 68 mm

2860	
size of imprint	49 x 68 mm
height of date	4 mm
recommended number of lines	9 *
packaging	
spare pad	E/2800
optional: spare pad (2-colour)	E/2800/2

* includes one line for the date

Microban® is a registered trademark of the Microban Products Company



JANET WEBBERLEY

WINIFRED HOUSE
 CORNELLS LANE
 WIDDINGTON
 ESSEX CB11 3SP
 TEL: 01799 540846

24 x 41 mm

2100	
size of imprint	24 x 41 mm
recommended number of lines	6
packaging	
spare pad	E/2100



SOLD BY
**PAUL'S
 PLUMBING SHOP**
 418 HILLSIDE AVENUE
 TAMPA, FLORIDA 94836
 PHONE: 348-9762

30 x 45 mm

2300	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	
spare pad	E/2300
optional: Green Line Microban®	



 **REDWOOD**
 Garden Centre
 Unit 15 Bristol Rd
 Edgewater TA8 9AW
 tel: 01234 - 497128
 fax 01234 - 497129

27 x 58 mm

2400	
size of imprint	27 x 58 mm
recommended number of lines	6
packaging	
spare pad	E/2600



 **AUSTRALIAN
 NATIONAL FLAG
 ASSOCIATION**
 365 KENT STREET
 SYDNEY 2000 AUSTRALIA
 Ph. (02) 223 45 78 Fax: (02) 223 67 35

37 x 58 mm

2600	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	
spare pad	E/2600
optional: Green Line Microban®	



ALL DIMENSIONS ARE CERTIFIED
 AS ON ORIGINAL DRAFT
 REVISIONS MADE ARE RECORDED
 AND FILED BY THE FOLLOWING:

 Initials & Date Dept.

 Initials & Date Dept.

 Initials & Date Dept.

49 x 68 mm

2800	
size of imprint	49 x 68 mm
recommended number of lines	10
packaging	
spare pad	E/2800




Ø 45 mm

R 2045	
size of imprint	Ø 45 mm
recommended number of lines	7
packaging	
spare pad	E/R 45



Ø 45 mm

R 2045 6	
size of imprint	Ø 45 mm
height of date	4 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45/2



Ø 40 mm - "12-Hours"


Ø 40 mm - "24-Hours"

R 2045 UZ	
size of imprint	Ø 40 mm
height of date	4 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45/2



10 x 26 mm

2000/P	
size of imprint	10 x 26 mm
height of date	4 mm
recommended number of lines	2 *
packaging	
spare pad	E/2600






24 x 41 mm

2106/P	
size of imprint	24 x 41 mm
height of numbers	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2
optional: special characters	

* includes one line for the date






30 x 58 mm

2008/P	
size of imprint	30 x 58 mm
height of numbers	5 mm
recommended number of lines	5 *
packaging	
spare pad	 E/2600
optional: special characters	€#% 






30 x 58 mm

2010/P	
size of imprint	30 x 58 mm
height of numbers	5 mm
recommended number of lines	5 *
packaging	
spare pad	 E/2600
optional: special characters	€#% 







12 NOV 2025	2100/3
12 NOV 2025	2100/4
12 NOV 2025	2000/5

2100/3	2100/4	2000/5
height of date 2100/3	3 mm	
height of date 2100/4	4 mm	
spare pad 2100/3, 2100/4	 E/2100	
height of date 2000/5	5 mm	
spare pad 2000/5	 E/2300	
packaging		






1 2 3 4 5 6	2106
1 2 3 4 5 6 7 8	2008
1 2 3 4 5 6 7 8 9 0	2010

2106	2008	2010
height of numbers 2106	4 mm	
spare pad 2106	 E/2100	
height of numbers 2008, 2010	5 mm	
spare pad 2008, 2010	 E/2600	
packaging		
optional: special characters	€#% 	



BILLED 12 NOV 2025
ANSWERED DELIVERED
BACK ORDERED ENTERED
BILLED FAXED
CANCELLED PAID
CHARGED RECEIVED
CHECKED SHIPPED

2000/WD	
height of date / phrase band	4 mm
packaging	
spare pad	 E/2600



30 x 45 mm



S 360 Green Line	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



37 x 58 mm



S 660 Green Line	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



30 x 45 mm



S 300 Green Line	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	
spare pad	E/2300



37 x 58 mm



S 600 Green Line	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	
spare pad	E/2600

* includes one line for the date



Pocket Stamps

Essential companions

Multifunctional and always with you - on your desk in the office, or "on the road" in a pocket, around the neck or on a keyring.



Pocket Stamp Plus:
open - stamp - close
with just one hand



Easy and flexible
to use - effortless
and clean



COLOP's pen stamps
are attractive writing
implements, but with the
added function of a
practical stamp



Small, smart and
portable - with a clip
it goes everywhere



Modern design -
the perfect gift for
everyone

Pocket Stamp Plus



MARY COOPER
 28 Hucclecote Road • Gloucester GL5 9TH
 Tel: 1452 54 33 21
 e-mail: mary@cooper.co.uk

14 x 38 mm



Pocket Stamp Plus 20	
size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/PSP 20
optional: Green Line Microban®	



GORDON WALKER
 5 Moore Road, Aberdeen AB13 6BE
 Tel: 1234 80 63 62
 mobile: 0555 456 890
 e-mail: gordon@walker.co.uk

18 x 47 mm

Pocket Stamp Plus 30	
size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/PSP 30
optional: Green Line Microban®	



Accessory: Lanyard	
size	45 cm
packaging	25

Accessory: Keyring	
size	9 cm
packaging	25

Pocket Stamp



WAYNE INDUSTRIES
 502 Gotham Lane, Gotham City, GC 10086
 tel: 555 367-5634 • fax 555 367-5635

10 x 39 mm

Pocket Stamp Mini	
size of imprint	10 x 39 mm
colours	
recommended number of lines	3
packaging	
spare pad	E/Minipocket



25 x 25 mm

Pocket Stamp Q 25

size of imprint	25 x 25 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/Pocketstamp 25



Ø 25 mm

Pocket Stamp R 25

size of imprint	Ø 25 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/Pocketstamp 25



Ø 32 mm

Pocket Stamp R 30

size of imprint	Ø 32 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/Pocketstamp R30



Ø 40 mm

Pocket Stamp R 40

size of imprint	Ø 40 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/Pocketstamp R40



THOMAS JERRY
 Mouse Avenue 115
 Mice City, MC 194058
 e-mail: thomas@jerry.com

14 x 38 mm



Stamp Mouse 20	
size of imprint	14 x 38 mm
colour of handle	
recommended number of lines	4
packaging	



THOMAS A. JERRY
 Mouse Avenue 123
 Mice City, MC 191087
 e-mail: thomas@jerry.com
 www.thomas-a-jerry.com

18 x 47 mm

Stamp Mouse 30	
size of imprint	18 x 47 mm
colour of handle	
recommended number of lines	5
packaging	




Ø 30 mm

Stamp Mouse R 30	
size of imprint	Ø 30 mm
colour of handle	
recommended number of lines	5
packaging	



Ø 40 mm

Stamp Mouse R 40	
size of imprint	Ø 40 mm
colour of handle	
recommended number of lines	7
packaging	



Accessory: Clip	
packaging	

Accessory: Lanyard	
size	45 cm
packaging	

Accessory: Keyring	
size	9 cm
packaging	



STAN WRITE
mobile: 021-898 5 107
e-mail: stan@write.com

8 x 33 mm



Stamp Writer	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	



STAN WRITE
mobile: 021-898 5 107
e-mail: stan@write.com

8 x 33 mm



Stamp Writer Exclusive	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	



STAN WRITE
mobile: 021-898 5 107
e-mail: stan@write.com

8 x 33 mm



Stamp Writer Promotion	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
refill	




Pam Stamp
mobile: 555 5018
e-mail: pam@stamp.com

8 x 33 mm



Pen Stamp Alu Magnet Touch	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	



DIY Stamps

Express yourself -
impress the rest

The COLOP range of DIY stamps combines the functional advantages of self-inking stamps with the ability to set and create an individual message. DIY stamps are available as typical office stamps as well as handy portable stamps.



Attractive packaging - stands out in every retail outlet



Easy setting of an individual text plate using the tweezers supplied



Flexibility to change as often as required













With pictograms and symbols - always on the leading edge



JANE WEBBERLY
SCOTLAND ROAD 27
WEST LONDON CB11 3SP
01234 598067

14 x 38 mm

Printer 20/1 Set











size of imprint	14 x 38 mm
colour of handle	    
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	   
spare pad	 E/20




→ JANE WEBBERLY ←
SCOTLAND ROAD 27
WEST LONDON CB11 3SP
01234 598067
e-mail: MARY@WEB.com

18 x 47 mm

Printer 30/1 Set











size of imprint	18 x 47 mm
colour of handle	    
max. number of lines	5
max. letters per line	21
type set	TS 35 / 3.5 mm
packaging	   
spare pad	 E/30



→ JANE WEBBERLY ←
SCOTLAND ROAD 27
WEST ESSEX CB11 3SP
 01234 598067
e-mail: MARY@WEB.com

18 x 47 mm

Printer 30/2 Set











size of imprint	18 x 47 mm
colour of handle	    
max. number of lines	5
max. letters per line	21
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	   
spare pad	 E/30



→ MARY JANE WEBBERLY ←
SCOTLAND ROAD 27
WEST ESSEX CB11 3SP
 01234 598067
Fax: 01234 598068
e-mail: MARY@WEB.com

23 x 59 mm

Printer 40/2 Set











size of imprint	23 x 59 mm
colour of handle	    
max. number of lines	6
max. letters per line	26
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	   
spare pad	 E/40



→ MARY JANE WEBBERLY ←
SCOTLAND ROAD 27
WEST ESSEX
CB11 3SP
 01234 598067
Fax: 01234 598068
e-mail: MARY@WEB.com

30 x 69 mm

Printer 50/2 Set

size of imprint	30 x 69 mm
colour of handle	    
max. number of lines	8
max. letters per line	32
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	   
spare pad	 E/50



JANE WEBBERLY
SCOTLAND ROAD 27
WEST LONDON CB11 3SP
01234 598067

14 x 38 mm

Pocket Stamp Plus 20 Set

size of imprint	14 x 38 mm
colours	
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	
spare pad	E/PSP 20



THOMAS JERRY
MOUSE AVE. 115
MICE CITY, MC4058
THOMAS@JERRY.COM

14 x 38 mm

Stamp Mouse 20 Set

size of imprint	14 x 38 mm
colour of handle	
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	



→ THOMAS JERRY ←
MOUSE AVENUE 115
MICE CITY, MC4058
e-m@il: THOMAS@JERRY.COM
http://www.THOMAS-JERRY.com

18 x 47 mm

Stamp Mouse 30 Set

size of imprint	18 x 47 mm
colour of handle	
max. number of lines	5
max. letters per line	21
type set	TS 35 / 3.5 mm
packaging	



→ MARY JANE WEBBERLEY ←
e-m@il: MARY.JANE@WEB.com

10 x 69 mm

Printer 15 Set

size of imprint	10 x 69 mm
colour of handle	
max. number of lines	2
max. letters per line	31
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/15



MARY JANE WEBBERLEY
HIGHLAND ROAD 27
WEST ESSEX
→ CB 11 3SP ←
☎ 0555 / 890 640 23
Fax: 0555 / 890 640 27
mobile 890 641 33
e-m@il: MARY.JANE@WEB.com
www.MARY-JANE-WEBBERLEY.COM

40 x 60 mm











Printer 55 Set

size of imprint	40 x 60 mm
colour of handle	
max. number of lines	10
max. letters per line	27
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/55



24 x 45 mm






Printer S 260 Set

size of imprint	24 x 45 mm
colour of handle	    
height of date	4 mm
max. number of lines	2
max. letters per line	16
type set	TS 40 / 4 mm
packaging	   
optional: spare pad (2-colour)	 E/200/2



30 x 45 mm

2360 Set







size of imprint	30 x 45 mm
height of date	4 mm
max. number of lines	4
max. letters per line	20
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	   
optional: spare pad (2-colour)	 E/2300/2



24 x 41 mm

Enclosed stock texts: Ans'd.....
F A X E D Per.....
P A I D PAGE.....OF.....
R E C E I V E D






2160/RL

size of imprint	24 x 41 mm
height of date	4 mm
max. number of lines	2
height of phrase band	4 mm
packaging	   
spare pad	 E/2100
optional: spare pad (2-colour)	 E/2100/2



27 x 58 mm

2400 Set
with Exchangeable Plates

size of imprint	27 x 58 mm
max. number of lines	6
max. letters per line	3 mm/26 4 mm/21
type set	TS 30 / 3 mm TS 40 / 4 mm
packaging	   
spare pad	 E/2600



ABCDEFGHIJKLMNOPQRSTUVWXYZA . 1111111 http://
 ABCDEFGHIJKLMNOPQRSTUVWXYZA . 2222222 www. MEMO
 ABCDEFGHIJKLMNOPQRSTUVWXYZ0 . 3333333 .com .net
 ABCDEFGHIJKLMNOPQRSTUVWXYZ0 : 4444444 Fax: .org
 ABCDEFGHIJKLMNOPQRSTUVWXYZU : 5555555 e-mail !
 ABCDEFGHIJKLMNOPQRSTUVWXYZU , 6666666 mobile
 ABCDEFGHIJKLMNOPQRSTUVWXYZU , 7777777 ISDN
 ÅÅÅÅÅÅÅÅÅÅÐÐÉÉÏÏØØÖÖÇÇÇÇŽŽ , 8888888 IBAN
 ÅÅÅÅÅÅÅÅÅÅÐÐÉÉÏÏØØÖÖÇÇŽŽÚÚ / 9999999
 @#%&'_ - _ ~ * ? ! & % () + * £ \$ € Î Ï Ñ Ñ Ñ Ñ Ñ Ñ Ñ Ñ


ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ . http://
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ . www.
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ . .com
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ : Fax:
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ : e-mail
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ , mobile
 ABCDEFGHIJKLMNOPQRSTUVWXYZÅÅÅÅ ,
 12345678901234567890ÇÇÇÇÇÇŽŽØØÉÉ , I ♥ U
 12345678901234567890\$ \$ \$ \$ \$ \$ Ž Ž Ø Ø Ø Ø / →
 @#%&'_ - _ ~ * ? ! & % () + * £ \$ € Î Ï Ñ Ñ Ñ Ñ Ñ Ñ Ñ Ñ ←

Combi-Logo Set TS 25

type set	TS 25 / 2.5 mm
number of letters	360
number of pictograms	20

Combi-Logo Set TS 35

type set	TS 35 / 3.5 mm
number of letters	320
number of pictograms	25
packaging	



AABCDEEFFGHIJKLMNOPRRSSTUVWXYZ11111 http://
 AABCDEEFFGHIJKLMNOPRRSSTUVWXYZ22222 www.
 AABCDEEFFGHIJKLMNOPRRSSTUVWXYZ33333 .com
 AABCDEEFFGHIJKLMNOPRRSSTUVWXYZ44444 Fax:
 AABCDEEFFGHIJKLMNOPRRSSTUVWXYZ55555 e-mail
 ÅÅÅÅÅÅÅÅÅÅÏÏÏÏÏÏÇÇÇÇÇÇØØØØ\$ \$ Z Z Z Z 66666
 ÅÅÅÅÅÅÅÅÅÅÞÞÞÞÏÏÏÏØØÉÉÉÉÝÝÇÇÇÇÅÅØØUUU77777 →
 @#%&'_ . . . ? ! & % () € + * Ø Ø Ø Ø * £ \$ € 0 0 0 9 9 9 9 8 8 8 8 ←

ABCDEFGHIJKLMNOPQRSTUVWXYZA 11111 http://
 ABCDEFGHIJKLMNOPQRSTUVWXYZA 22222 www.
 ABCDEFGHIJKLMNOPQRSTUVWXYZ0 33333 .com
 ABCDEFGHIJKLMNOPQRSTUVWXYZ0 44444 Fax:
 ABCDEFGHIJKLMNOPQRSTUVWXYZU 55555 e-mail
 ÅÅÅÅÅÅÅÅÅÅÏÏÏÏÏÏÇÇÇÇÇÇØØØØ\$ \$ Z Z Z Z Ü Ü 66666
 ÅÅÅÅÅÅÅÅÅÅÞÞÞÞÏÏÏÏØØÉÉÉÉÝÝ77777 →
 @#%&'_ . . . ? ! & % () € + * £ \$ € 0 0 0 9 9 9 9 8 8 8 8 ←

Alpha-numeric Type Set TS 30

type set	TS 30 / 3 mm
number of letters	320

Alpha-numeric Type Set TS 40

type set	TS 40 / 4 mm
number of letters	256
packaging	



Green Line

We take responsibility

The self-inking stamp range predominantly made from sustainable and recycled material. A minimum of between 65% and 80% recycled plastic is used. The already significantly reduced but unavoidable CO₂ emissions are compensated by means of investment in climate protection projects (GOLD STANDARD Projects), based on the system boundary "cradle to gate".



Green Line




Evaluated according to ISO 14044, verified by Denkstatt an independent institute and based on the system boundary "cradle to gate"



1 Stamp = 2 ImageCard™ designs




The Classic Green Line handles are FSC® certified (Forest Stewardship Council®)



The Austrian Eco-Label is awarded by the Republic of Austria as represented by the Federal Ministry of Environment



The Green Line range was audited during the ISO 14001 accreditation process



Bands with individual characters available for various models



MARY GREENSHINE

Greenwheel Park Ind
Glasgow G34 9LS
Tel: 1234 810058

14 x 38 mm



Printer 20 Green Line

size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/20



GORDON GREENLEAF

Emerald-Green Lane Park
Aberdeen AB13 7BE
Tel: 1234 921068
e-mail: gordon@greenleaf.com

18 x 47 mm



Printer 30 Green Line

size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/30



GREEN LINE LTD

Advertising Agency
Parker Tower 43

49 Parker St, London WC2B 5PS
Tel: 01234 743060 - Fax: 01234 743063
e-mail: green@line-ltd.co.uk

23 x 59 mm



Printer 40 Green Line

size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/40



LANCASTER GARDEN PRODUCTS

Gardening - Equipment and Supplies

Stockton Lane • York YO65 5UE

Tel: 1555 40 01 41

Fax: 1555 40 01 85

e-mail: lancaster@garden.co.uk

e-mail: garden@equip_supplies.co.uk

30 x 69 mm



Printer 50 Green Line

size of imprint	30 x 69 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/50



MARY GREENSHINE

Greenwheel Park Ind
Glasgow G34 9LS
Tel: 1234 810058

14 x 38 mm



Pocket Stamp Plus 20 Green Line

size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/PSP 20



GORDON GREENLEAF

Emerald-Green Lane Park
Aberdeen AB13 7BE

Tel: 1234 921068

e-mail: gordon@greenleaf.com

18 x 47 mm



Pocket Stamp Plus 30 Green Line

size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/PSP 30



12 NOV 2025



Printer S 220 Green Line

colours	
height of date	4 mm
packaging	
spare pad	E/200



1 2 3 4 5 6



Printer S 226 Green Line

colours	
height of numbers	4 mm
packaging	
spare pad	E/200
optional: special characters	



ORIGINAL

AIR MAIL D R A F T
 APPROVED FILE COPY
 CANCELLED FIRST CLASS
 CONFIDENTIAL ORIGINAL
 CONFIRMATION S H R E D
 C O P Y U R G E N T !



Printer S 220/W Green Line

colours	
height of phrase band	4 mm
packaging	
spare pad	E/200



SHIPPED
 12 NOV 2025
 BY

24 x 45 mm



Printer S 260 Green Line

size of imprint	24 x 45 mm
colours	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2



RECEIVED
 12 NOV 2025
 BY: _____

24 x 45 mm

L1

PAID 12 NOV 2025 BY: _____ L2 L3
FAXED 12 NOV 2025 BY: _____



Printer S 260L Green Line

size of imprint	24 x 45 mm
colours	
height of date	4 mm
recommended number of lines	3 *
packaging	
optional: spare pad	E/200
spare pad (2-colour)	E/200/2

* includes one line for the date



GREEN LINE SECURITY LTD
 174a - 175c South Huntington Lane
 Bristol BS8 2TL
 Tel: 123 907 56 05
 Fax: 123 908 58 75
 e-mail: green-line@security.co.uk

30 x 45 mm



2300 Green Line	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	4
spare pad	E/2300



RECEIVED GREEN LINE AGENCY
12 NOV 2025
 Unit 37 The Emerald Centre, 2nd Way
 Wembley HA3 9JD

30 x 45 mm



2360 Green Line	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	4
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



BRITISH GREEN FLAG ASSOCIATION
 Unit 54b Severnside Trading Estate
 Hemel Hempstead HP8 7YU
 Tel: 1234 42 82 00, Fax: 1234 42 83 34
 e-mail: british-green-flag@association.co.uk
www.british-green-flag-association.co.uk

37 x 58 mm



2600 Green Line	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	4
spare pad	E/2600



★★★ **Green Line** ★★★
INTERNATIONAL BANK PLC
12 NOV 2025
 Green Lane 2-7 Moorgate, London EC4R 9JH
 Tel: 01234 767999, Fax: 01234 767998
 e-mail: green@line_inter-bank.co.uk

37 x 58 mm



2660 Green Line	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	4
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



Office Green Line see page 30

* includes one line for the date



Microban® Stamps

Stamps with antibacterial protection


In daily life stamps are handled by many different people - this means multiple hand impressions and the transfer of bacteria. Built-in during the point of manufacture, Microban® antibacterial protection inhibits the growth of harmful bacteria.



Microban® Stamps



The main touch points have Microban® antibacterial protection built-in



Left: Unprotected surface

Right: Surface protected with Microban



COLOP are utilising Microban 3G Silver™ technology. Built-in during manufacture, it will not wash off or wear away



COLOP regularly participate in the Microban Quality Assurance programme



Kenneth Clark
Unit 90A, Valepits Road, Barretts Grove
Birmingham B66 9TD

10 x 27 mm

Printer 10 Microban®	
size of imprint	10 x 27 mm
colours	
recommended number of lines	3
packaging	
spare pad	E/10



MARY COOPER
28 Hucclecote Road • Gloucester GL5 9TH
Tel: 1452 54 33 21
e-mail: mary@cooper.co.uk

14 x 38 mm

Printer 20 Microban®	
size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/20



GORDON WALKER
5 Moore Road, Aberdeen AB13 6BE
Tel: 1234 80 63 62
mobile: 0555 456 890
e-mail: gordon@walker.co.uk

18 x 47 mm

Printer 30 Microban®	
size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/30



RED SKIES LTD
Advertising Agency
Parker Tower 43
49 Parker St WC2B 5PS London
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19
e-mail: red@skies_ltd.co.uk

23 x 59 mm

Printer 40 Microban®	
size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/40



LANCASTER GARDEN PRODUCTS
Gardening - Equipment and Supplies
Stockton Lane • York YO65 5UE
Tel: 1555 40 01 41
Fax: 1555 40 01 85
e-mail: lancaster@garden.co.uk
e-mail: garden@equip_supplies.co.uk

30 x 69 mm

Printer 50 Microban®	
size of imprint	30 x 69 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/50



**BRITISH CARGO OVERSEAS
INTERNATIONAL TRANSPORT LTD**
North London Freight Centre
York Way, Kings Cross, London N3 8BB
Tel: 0123 456 7890
Fax: 0123 456 7891
sales@britishcargooverseas.co.uk
www.britishcargooverseas.com

37 x 76 mm

Printer 60 Microban®	
size of imprint	37 x 76 mm
colours	
recommended number of lines	8
packaging	
spare pad	E/60



GREEN LINE SECURITY LTD
 174a - 175c South Huntington Lane
 Bristol BS8 2TL
 Tel: 123 907 56 05
 Fax: 123 908 58 75
e-mail: green-line@security.co.uk

30 x 45 mm

2300 Microban®	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	4
spare pad	E/2300



RECEIVED
GREEN LINE AGENCY

12 NOV 2025
 Unit 37 The Emerald Centre, 2nd Way
 Wembley HA3 9JD

30 x 45 mm

2360 Microban®	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	4
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



BRITISH GREEN FLAG ASSOCIATION
 Unit 54b Severnside Trading Estate
 Hemel Hempstead HP8 7YU
 Tel: 1234 42 82 00, Fax: 1234 42 83 34
 e-mail: british-green-flag@association.co.uk
 www.british-green-flag-association.co.uk

37 x 58 mm

2600 Microban®	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	4
spare pad	E/2600



★★★ **Green Line** ★★★
INTERNATIONAL BANK PLC

12 NOV 2025
 Green Lane 2-7 Moorgate, London EC4R 9JH
 Tel: 01234 767999, Fax: 01234 767998
 e-mail: green@line_inter-bank.co.uk

37 x 58 mm

2660 Microban®	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	4
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



GORDON WALKER
 5 Moore Road, Aberdeen AB13 6BE
 Tel: 1234 80 63 62
 mobile: 0555 456 890
 mail: gordon@walker.co.uk

MARY COOPER
 28 Hucclecote Road • Gloucester GL5 9TH
 Tel: 1452 54 33 21
 e-mail: mary@cooper.co.uk

14 x 38 mm

18 x 47 mm

Pocket Stamp Plus 20 Microban®	
size of imprint PSP 20	14 x 38 mm
size of imprint PSP 30	18 x 47 mm
colours	3
recommended number of lines	PSP 20: 4 - PSP 30: 5
packaging	25
spare pad PSP 20	E/PSP 20
spare pad PSP 30	E/PSP 30

* includes one line for the date



Spare Pads

Quality parts that make the difference

COLOP spare pads are developed and produced to fit exactly for COLOP self-inking stamps – a perfect combination for perfect imprints.



Clean and simple exchange of spare pad



Sharp and clean imprints only with the original COLOP spare pads



High quality ink used:

- Document proof
- Non toxic
- Anti dry out formula



Available in 5 standard colours



Also available: 2-coloured imprints in red and blue



COLOP Spare Pads

The inks used in COLOP® pads for self-inking stamps are tested and certified as permanent, document-proof ink according to DIN (Deutsche Industrie Norm) ISO 14145-2.



Do not reink



packaging



Spare Pads



Printer 05	E/05
Printer 10 Printer C 10 Mini-Dater S 120 Mini-Folio S 126 Mini-Info S 120/W Mini-Dater S 160	E/10
Mini-Print S 110 Mini-Folio S 120/13 Mini Info-Dater S 120/WD Mini-Dater S 120/DD Mini-Dater S 120/P Mini-Dater S 160/DD	E/12
Printer 15	E/15
Printer 20 Printer C 20	E/20
Printer 25	E/25
Printer 30 Printer C 30	E/30
Printer 35 Printer 35-Dater	E/35
Printer 38 Printer 38-Dater	E/38
Printer 40 Printer C 40	E/40

Printer 45	E/45
Printer 50 Printer C 50	E/50
Printer 52 Printer 52-Dater	E/52
Printer 53 Printer 53-Dater	E/53
Printer 54 Printer 54-Dater	E/54
Printer 55 Printer 55-Dater	E/55
Printer 60 Printer C 60 Printer 60-Dater	E/60
Printer R 12	E/R 12
Printer R 17	E/R 17
Printer R 24 Printer R 24-Dater	E/R 24
Printer R 30 Printer R 30-Dater	E/R 30
Printer R 40 Printer R 40-Dater Printer R 40-Dater - "12/24-Hours"	E/R 40
Printer R 45 Printer R 45-Dater Classic R 2045	E/R 45

Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	E/R 45
Printer R 50 Printer R 50-Dater	E/R 50
Printer Oval 44	E/Oval 44
Printer Oval 55 Printer Oval 55-Dater	E/Oval 55
Printer T 45 Printer T 45-Dater	E/T 45
Printer Q 12	E/Q 12
Printer Q 17	E/Q 17
Printer Q 20	E/Q 20
Printer Q 24 Printer Q 24-Dater	E/Q 24
Printer Q 30 Printer Q 30-Dater	E/Q 30
Printer Q 43 Printer Q 43-Dater	E/Q 43
Printer S 200 Printer S 260 Printer S 220 Printer S 220/W Printer S 226 Printer S 226/P	E/200

Spare Pads



Expert R 3040 Expert R 3040-Dater	E/R 2040
Classic 2100 Classic 2100/3 Classic 2100/4 Classic 2100/W Classic 2106 Classic 2106/P Classic 2160 Expert 3100 Expert 3160	E/2100
Classic 2300 Classic 2360 Classic 2000/5 Classic 2006 Expert 3300 Expert 3360 Office S 300 Office S 360	E/2300
Expert 3400	E/3400
Classic 2400 Classic 2460 Classic 2008 Classic 2010 Classic 2000/P Classic 2000/WD Classic 2600 Classic 2660 Classic 2008/P Classic 2010/P Expert 3600 Expert 3660 Office S 400 Office S 600 Office S 608 Office S 608/P Office S 610 Office S 610/P Office S 660	E/2600
Expert 3700	E/3700
Classic 2800 Classic 2860 Expert 3800 Expert 3860	E/2800

Expert 3900 Expert 3960 Expert 3960 S3 / S4 Expert 3960 Double Date	E/3900
Pocket Stamp 20	E/Pocketstamp 20 *
Pocket Stamp 30 Pocket Stamp Oval 30	E/Pocketstamp 30 *
Pocket Stamp Q 25 Pocket Stamp R 25	E/Pocketstamp 25 *
Pocket Stamp R 30	E/Pocketstamp R30 *
Pocket Stamp R 40	E/Pocketstamp R40 *
Mini Pocket Stamp	E/Minipocket *
Pocket Stamp Plus 20	E/PSP 20 *
Pocket Stamp Plus 30	E/PSP 30 *

2-Colour Ink Pads



Printer S 260 Printer S 260/L Printer S 260/RL Printer S 226/P	E/200/2
Printer R 30	E/R 30/2
Printer R 30-Dater	E/R 30 Dater/2
Printer R 40	E/R 40/2
Printer R 40-Dater	E/R 40/1 Dater/2
Printer R 45-Dater Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	E/R 45 Dater/2
Printer Q 43-Dater	E/Q 43/2
Printer R 50	E/R 50/2
Printer R 50-Dater	E/R 50 Dater/2
Printer 53-Dater	E/53/2
Printer 54-Dater	E/54/2
Printer 55-Dater	E/55/2
Printer 35-Dater	E/35/2
Printer Q 30-Dater	E/Q 30 Dater/2

2-Colour Ink Pads



Printer 38-Dater	E/38/2
Expert R 3040-Dater	E/R 2040/2
Classic 2160 Classic 2160/RL Classic 2106/P Expert 3160	E/2100/2
Classic 2360 Classic 2006/P Expert 3360 Office S 360 Office S 360/RL	E/2300/2
Classic 2460 Classic 2660 Expert 3660 Office S 660	E/2600/2
Classic 2860 Expert 3860	E/2800/2
Expert 3960	E/3900/2

2-Colour Ink Pads



Mini-Dater S 160 Mini-Dater S 160/L	E/10/2
--	---------------

2-Colour Ink Pads



Mini-Dater S 120/WD S120/P	E/12/2
-------------------------------	---------------

2-Colour Ink Pads



Printer 20	E/20/S6
Printer 30	E/30/S6
Printer 40	E/40/S6
Printer 50	E/50/S6

Refill Ballpoint pen



StampWriter Pen Stamp Alu Magnet Touch	D1
---	-----------

Felt Pads

Spare pads are also available as felt pads, with the exception of those marked with *. Felt pads are used for special inks like oil or solvent based inks, i.e. COLOP Quick Drying Ink 802.

Ink Pads for Other Models

COLOP offers a wide range of ink pads for stamp devices from other manufacturers. Further details are available upon request.



Band Stamps

Tradition in reliable quality


Traditional rubber stamps with deep moulded bands for use with a separate stamp pad. Available as date stamps or numbering stamps.




Economical and functional - available in many different sizes and character measures



A sturdy metal frame makes this band stamp a long-lasting marking device



Special character bands are available for the majority of the models



Ergonomically designed handles for comfortable use



FAXED 12 NOV 2025

ANSWERED DELIVERED
 BACK ORDERED ENTERED
 BILLED FAXED
 CANCELLED PAID
 CHARGED RECEIVED
 CHECKED SHIPPED

04000/WD	
height of date / phrase band	4 mm
packaging	



04000

12 NOV 2025 12. 11. 25

03000 / 03000 SD	
height of date	3 mm
packaging	

12 NOV 2025 12. 11. 25

04000 / 04000 SD	
height of date	4 mm
packaging	



07000

12 NOV 2025

05000	
height of date	5 mm
packaging	

1 2 NOV 2025

07000	
height of date	7 mm
packaging	

1 2 NOV 2025

09000	
height of date	9 mm
packaging	

1 2. 11. 2025

12000	
height of date	12 mm
packaging	

1 2. 11. 2025


15000	
height of date	15 mm
packaging	

1 2. 11. 2025

18000	
height of date	18 mm
packaging	



04060/L	
size of imprint	30 x 45 mm
height of date	4 mm
packaging	



Numbering Stamps	
Numbering stamps with 4, 6, 8, 10, and 12 bands in 3, 4, 5, 7, 9, 12, 15, 18 mm.	
Combinations with letter bands A-M and N-Z or other figures, letters, signs or phrases made to order upon request.	
Bands 3 - 15 mm = 0 to 9 / - .	
18 mm = 0 to 9 / -	
optional: special characters	

03004	1 2 3 4
03006	1 2 3 4 5 6
03008	1 2 3 4 5 6 7 8
03010	1 2 3 4 5 6 7 8 9 0
03012	1 2 3 4 5 6 7 8 9 0 1 2

3 mm	1 2 3 4 5 6 7 8 9 0 1 2
4 mm	04004 04006 04008 04010 04012

5 mm	1 2 3 4 5 6 7 8 9 0 1 2
	05004 05006 05008 05010 05012

7 mm	1 2 3 4 5 6 7 8 9 0 1 2
	07004 07006 07008 07010 07012

9 mm	1 2 3 4 5 6 7 8 9 0 1 2
	09004 09006 09008 09010 09012

12 mm	1 2 3 4 5 6 7 8 9 0 1 2
	12004 12006 12008 12010 12012






15 mm	1 2 3 4 5 6 7 8 9 0 1 2
	15004 15006 15008 15010 15012

18 mm	1 2 3 4 5 6 7 8 9 0 1 2
	18004 18006 18008 18010 18012

Band	Band "Standard"	Band "Euro"	Band "kg"	Band "c"	Band "x"	Band "¼"	Band "A-M"	Band "N-Z"
Band consists of numbers 0-9 as well as the special characters. A blank is included with every band except "Euro".	0-9	0-9	0-9	0-9	0-9	0-9	Band consists of letters A - M	Band consists of letters N - Z
	/	№	kg	,	/	¼		
	-	€	%	F	-	½	Without special characters and numbers	
	.	#	/	¢	x	¾		
		\$						

Following items are available with the bands mentioned above in any order:

Item	Height of characters	Number of bands	Sample imprint	
S 200	S 226 SZ	4 mm	6	2 4 , 5 0 %
	S 226/P SZ	4 mm	6	€ 9 0 , 2 0
CLASSIC LINE	2106 SZ	4 mm	6	# 5 8 9 4 2
	2106/P SZ	4 mm	6	4 5 4 , 5 kg
	2008 SZ	5 mm	8	№ 8 0 7 / 1 2 4
	2008/P SZ	5 mm	8	A B - 5 9 0 1 3
	2010 SZ	5 mm	10	S A 1 0 0 1 0 0 4 5
	2010/P SZ	5 mm	10	\$ 2 8 , 6 5 3 , 4 6
BAND STAMPS	03000 SZ	3 mm		# 2 6 7 9 / 4 6 - 4 6 7 <small>03004 03006 03008 03010 03012</small>
	04000 SZ	4 mm		7 6 9 4 8 2 4 6 5 1 M N <small>04004 04006 04008 04010 04012</small>
	05000 SZ	5 mm		A 6 4 6 - 6 7 6 / 4 4 2 <small>05004 05006 05008 05010 05012</small>
	07000 SZ	7 mm		0 0 0 0 4 6 6 7 , 8 8 kg <small>07004 07006 07008 07010 07012</small>
	09000 SZ	9 mm	4, 6, 8, 10, 12	0 C 0 0 0 0 8 9 0 / 0 9 <small>09004 09006 09008 09010 09012</small>
	12000 SZ	12 mm		1 , 2 x 0 , 8 x 1 , 5 M <small>12004 12006 12008 12010 12012</small>
	15000 SZ	15 mm		№ 4 7 9 0 / 0 8 8 - 6 3 <small>15004 15006 15008 15010 15012</small>




P 700

height of date	4 mm
packaging	

Plate sizes

P 700/10	25 x 55 mm
P 700/33	35 x 45 mm
P 700/11	35 x 50 mm
P 700/12	35 x 55 mm
P 700/13	35 x 60 mm
P 700/14	35 x 70 mm
P 700/32	51 x 51 mm
P 700/15	40 x 54 mm
P 700/16	40 x 60 mm
P 700/24	45 x 65 mm
P 700/17	40 x 70 mm
P 700/18	50 x 70 mm
P 700/34	Ø 44 mm
P 700/19	Ø 51 mm
P 700/22/oval	44 x 67 mm



P 700/S5
35 x 54 mm

12 NOV 2025

12 NOV 2025

P 700/S6
35 x 54 mm

P 700/S3
35 x 75 mm

12 NOV 12 NOV 2025

P 700/S4
35 x 75 mm

P 700/S2
90 x 55 mm

12 NOV 2025

12 NOV 2025

P 700/S8
90 x 55 mm

P 700/S7
55 x 65 mm

12 NOV 2025

P 700/S9
120 x 120 mm

P 700/S1
100 x 100 mm

12 NOV 2025

P 700 with time plate

P 700/UZ/12H	Ø 50 mm
P 700/UZ/24H	Ø 50 mm
height of date	4 mm
packaging	

P 700 Special Plates

height of date	4 mm
packaging	

Special Plate sizes

P 700/S1	100 x 100 mm
P 700/S2	90 x 55 mm
P 700/S3	35 x 75 mm
P 700/S4	35 x 75 mm
P 700/S5	35 x 54 mm
P 700/S6	35 x 54 mm
P 700/S7	55 x 65 mm
P 700/S8	90 x 55 mm
P 700/S9	120 x 120 mm

Other special plate sizes and date positions upon request



Numrex 4

height of numbers	25 mm
packaging	

Numrex 5

height of numbers	25 mm
packaging	

Numrex 6

height of numbers	25 mm
packaging	

Other special sizes and models upon request

Numrex 4



Numrex 5



Numrex 6



Swing Stamp

Swing Stamp 140/200	140 x 200 mm
Swing Stamp 200/260	200 x 260 mm
packaging	



Inks and Stamp Pads

Only the original guarantees the best quality

Ideal for hand stamps and band stamps - COLOP inks for different materials and the suitable ink pads in numerous variations and sizes.



COLOP's standard inks are document proof. The range also includes UV inks, archival and quick drying inks



COLOP's stamp pads are sturdy, whether made of plastic or metal



Extra-large formats for all kind of stamp inks available. Especially suitable for quick drying inks



Numerous stamp inks for various materials



Stamp Pad Ink Premium 801

colours	
content	25 ml 250 ml
packaging	
water-based ink for foam and felt pads	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



Stamp Pad Ink 810

colours	
content	250 ml
packaging	
water-based	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



Quick Drying Ink 802

colours	
content	25 ml 250 ml
packaging	
solvent based ink for felt pads	
for use with rubber text plates	
application: for all absorbent and non absorbent materials except PE/PP	



Ultraviolet Ink 804

colours	
content	25 ml 250 ml
packaging	
ink for standard pads and felt pads, visible under ultraviolet light	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



Archival Permanent Ink 805

colours	
content	25 ml 250 ml
packaging	
oil based ink for foam and felt pads	
for use with rubber text plates	
application: for all absorbent materials	



Quick Drying Ink Premium 809

colours	
content	25 ml 250 ml
packaging	
solvent based ink for standard pads and felt pads	
for use with rubber text plates	
application: for all absorbent and non absorbent materials. Non hazardous cargo.	

Other special inks upon request.



Stamp Pads Micro

size of Micro pad 1*	50 x 90 mm
size of Micro pad 2*	70 x 110 mm
size of Micro pad 3	90 x 160 mm
colours	
packaging	



Stamp Pads Micro M

size of Micro pad M1	50 x 90 mm
size of Micro pad M2	70 x 110 mm
colours	
packaging	



Top Pad

size of Top Pad 160/220	160 x 220 mm
size of Top Pad 240/310	240 x 310 mm
colours	
packaging	



Embossing press

Modern and practical design

COLOP embossing presses leave an impressive imprint - a combination between balanced design and optimised functionality.



Intuitive usability for effortless embossing of paper - also for small hands



The locking mechanism provides absolute reliability as well as easy operation



The handle and base are equipped with soft rubber. This enables comfortable embossing and guarantees stability



COLOP embossing presses can be equipped either with plastic or metal die plates



The construction and the special shape of the chrome plated parts deliver high quality and sturdiness



An attractive and compact hard protecting case is included for protection when being transported



Ø 41 mm

Embossing Press

size of imprint	Ø 41 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



Ø 51 mm

Embossing Press

size of imprint	Ø 51 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



25 x 50 mm

Embossing Press

size of imprint	25 x 50 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



Laser Engravable Die Material for Embossing Presses

size	A5
thickness	1,5 mm

Embossing Press Labels

size	Ø 55 mm
pcs.	250 pcs. / roll
colours	

Laser Rubber



Odourless Laser Rubber

Odourless Economy Laser Rubber

size	A4
hardness	60 Shore A
hardness (Odourless Economy LR)	55 Shore A
thickness	2,3 mm
packaging	

Photopolymer



Photopolymer VX55

content	1 kg / 18 kg
---------	--------------

Washout Agent

content	5 liter
---------	---------

Antifoam

content	1 liter
---------	---------

IMAGEPAC Detac Salt (post exposure salt)

content	350 g
---------	-------



Cover Film

size	A3, A4, A5
content A3	500 mm x 180 m/roll
content A4	315 mm x 180 m/roll
content A5	200 mm x 50 m/roll

Backing Sheet

size	A3, A4, A5
content	100 sheets

Foam Border Tape

size	2,5mm x 8mm x 30m
------	-------------------

Imageblack Film

size	A4
content	50 sheets

Imagepac



Imagepac	Thickness	Packaging
Imagepac A5	2,3 mm	10 pcs.
Imagepac A6	2,3 mm	5 pcs.
Imagepac A7	2,3 mm	10 pcs.
Imagepac A8	2,3 mm	20 pcs.

Imagepac XTRA A4	2,3 mm	5 pcs.
Imagepac XTRA A5	2,3 mm	10 pcs.
Imagepac XTRA A6	2,3 mm	5 pcs.
Imagepac XTRA A7	2,3 mm	10 pcs.
Imagepac XTRA A8	2,3 mm	20 pcs.



EOS Line

Complete range of Flash Stamps

The EOS Line is a modern and ergonomically designed flash stamp. This technology allows an optimised handle size also for large text plate sizes.

Black EOS Standard and XL stamps are made of minimum 80% recycled plastics.



X-Large image window for full size imprint and personalisation



Dust cover for protection and transportation



Easy and clean re-inking



Also very large imprint sizes are possible



Motivational Stamps - perfect for teachers to motivate their pupils

For more information about COLOP EOS Line please visit www.colop.com or apply to your COLOP contact.

Legend

Plastic bag		Individual blister packaging		Packaging in individual box		Masterbox		Individual box with flap	
-------------	--	------------------------------	--	-----------------------------	--	-----------	--	--------------------------	--

19 / 01 / 152000 / English



FSC® =
Forest Stewardship Council®

Printed on FSC®-certified paper
Gedruckt auf FSC®-zertifiziertem Papier
Imprimé sur papier certifié FSC®
Impreso en papel certificado FSC®
Impresso em papel com certificação FSC®
Stampato su carta certificata FSC®



